



**LOWRANCE®**














**PRICE LIST**  
**MARINE ELECTRONICS**
















HDS-16 PRO




Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16006-001	 Lowrance HDS-16 PRO, No Transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	18483.15	22734.27
000-15991-001	 Lowrance HDS-16 PRO with ActiveImaging™ HD 3-in-1 transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	19353.15	23804.37

Accessories



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-12742-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	317.40	390.40

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12741-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	529.00	650.67
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-11010-001	 Adapter kablowy wideo	455.40	560.14
Spare Parts			
Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16088-001	 HDS-16 PRO Bezel and SD Door	220.75	271.53
000-14585-001	 HDS-16 LIVE/PRO Suncover	179.40	220.66

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14589-001		HDS-16 LIVE/PRO Bracket and Knobs	409.40	503.56
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	170.15	209.29
000-0124-70		CAP-1 – Zestaw kołpaków złącz dla serii HDS	101.15	124.42














## HDS-12 PRO

## Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16003-001	 Lowrance HDS-12 PRO, No Transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	11740.65	14441.00
000-15988-001	 Lowrance HDS-12 PRO with ActiveImaging™ HD 3-in-1 transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	12610.65	15511.10






## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	8121.95	9990.00
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12741-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	529.00	650.67
000-12742-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	317.40	390.40
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)- SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)- SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-11010-001	 Adapter kablowy wideo	455.40	560.14



## Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16087-001		HDS-12 PRO Bezel and SD Door	271.40	333.82
000-14584-001		HDS-12 LIVE/PRO Suncover	147.15	181.00
000-14588-001		Lowrance HDS-12 LIVE/PRO & Elite FS-12 Bracket and Knobs	363.40	446.98
000-0127-49		Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	170.15	209.29
000-0124-70		CAP-1 – Zestaw kołpaków złącz dla serii HDS	101.15	124.42

## HDS-10 PRO
















## Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16000-001	 Lowrance HDS-10 PRO, No Transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	8695.65	10695.65
000-15985-001	 Lowrance HDS-10 PRO with ActiveImaging™ HD 3-in-1 transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	9565.65	11765.75

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	8121.95	9990.00
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-11010-001	 Adapter kablowy wideo	455.40	560.14
Spare Parts			
Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16057-001	 HDS-10 PRO Bezel and SD Door	220.75	271.53
000-16056-001	 HDS-10 PRO / Elite FS-10 Bracket	299.00	367.77
000-16059-001	 HDS-10 PRO Suncover	147.20	181.06

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-49	 Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	170.15	209.29
000-0124-70	 CAP-1 – Zestaw kołpaków złącz dla serii HDS	101.15	124.42












## HDS-9 PRO

## Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15997-001	 Lowrance HDS-9 PRO, No Transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	7390.65	9090.50
000-15982-001	 Lowrance HDS-9 PRO with ActiveImaging™ HD 3-in-1 transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	8260.65	10160.60



## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	8121.95	9990.00
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-11010-001	 Adapter kablowy wideo	455.40	560.14



## Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16086-001	 HDS-9 PRO Bezel and SD Door	220.75	271.53
000-14583-001	 HDS-9 LIVE/PRO Suncover	161.00	198.03
000-14587-001	 HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	271.40	333.82












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-49	 Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	170.15	209.29
000-0124-70	 CAP-1 – Zestaw kołpaków złącz dla serii HDS	101.15	124.42





## Elite-12 FS

## Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16440-001	 Elite™ FS 12 with Active Imaging 3-in-1 Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module	10000.65	12300.80
000-16439-001	 Elite™ FS 12 No Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module	9348.15	11498.22

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	8121.95	9990.00
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-16446-001	Elite™ FS 12 Flushmount kit	94.71	116.50



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

## Spare Parts




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14489-001	 ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	1665.15	2048.14
000-12568-001	 TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	1665.20	2048.20
000-16444-001	Protective suncover for Elite FS 12	147.20	181.06
000-15777-001	 Corner Clip ELITE-7, 9, 10, and 12 FS	78.11	96.07
000-14588-001	 Lowrance HDS-12 LIVE/PRO & Elite FS-12 Bracket and Knobs	363.40	446.98
000-14041-001	 2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	151.75	186.66

## Elite-10 FS





## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16438-001	 Elite™ FS 10 with Active Imaging 3-in-1 Transducer (ROW): The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module	7390.65	9090.50
000-16437-001	 Elite™ FS 10 No Transducer (ROW):The Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ 2 live sonar, Active Imaging™ and Active Imaging™ HD* and preloaded C-MAP® Discover Onboard charts – to help you make the most of your time on the water.*Active Imaging HD requires S3100 Module	6738.15	8287.92






## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	8121.95	9990.00
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04
000-16445-001	Elite™ FS 10 Flushmount kit	94.71	116.50





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

## Spare Parts














Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14489-001	 ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	1665.15	2048.14
000-16056-001	 HDS-10 PRO / Elite FS-10 Bracket	299.00	367.77
000-12568-001	 TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	1665.20	2048.20
000-16443-001	Protective suncover for Elite FS 10	147.20	181.06
000-15777-001	 Corner Clip ELITE-7, 9, 10, and 12 FS	78.11	96.07
000-14041-001	 2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	151.75	186.66




## Elite-9 FS

## Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15706-001	 ELITE FS 9 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4365.40	5369.44
000-15693-001	 ELITE FS 9 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	5055.40	6218.14

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15959-001	 ActiveTarget™ 2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	8121.95	9990.00
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-16145-001	Power Harness Cable for Explorer Series Pack with Elite FS 9	206.95	254.55
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-15786-001	FLUSH MOUNT KIT: ELITE FS 9	115.00	141.45
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

## Spare Parts













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15777-001	 Corner Clip ELITE-7, 9, 10, and 12 FS	78.11	96.07
000-14587-001	 HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	271.40	333.82
000-14041-001	 2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	151.75	186.66





## Elite-7 FS

## Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15702-001	 ELITE FS 7 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	3905.40	4803.64
000-15697-001	 ELITE FS 7 with xSonic HDI M/H 455/800 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4135.40	5086.54
000-15689-001	 ELITE FS 7 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4595.40	5652.34

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	8121.95	9990.00
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04
000-15785-001	FLUSH MOUNT KIT: ELITE FS 7	115.00	141.45


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	563.82	693.50
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

## Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15778-001	 SUNCOVER: ELITE-7 FS	133.40	164.08
000-15777-001	 Corner Clip ELITE-7, 9, 10, and 12 FS	78.11	96.07
000-14586-001	 HDS-7 LIVE Bracket and Knobs	179.40	220.66
000-14041-001	 2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	151.75	186.66

## Eagle-4x


## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16110-001	 Eagle-4x: 4" IPS Portrait Fish Finder: Bullet transducer	685.40	843.04

## Accessories





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16252-001	EAGLE 4" Dash gasket kit	105.80	130.13
000-16248-001	 EAGLE 4" Sun cover	104.51	128.55

## Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16367-001	Eagle 4X Bullet Skimmer transducer / power cable	367.95	452.58
000-14170-001	 Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42

## Eagle-5






## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16236-001	 Eagle-5 No Transducer ROW: 5" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts).	1329.40	1635.16
000-16310-001	 Eagle-5 50/200 KHz ROW: 5" IPS screen, HDI 50/200 kHz transducer. Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1651.40	2031.22
000-16307-001	 Eagle-5 83/200 KHz ROW: 5" IPS screen, HDI 83/200 kHz transducer. Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1559.40	1918.06
000-16112-001	 Eagle-5 SplitShot™ HD ROW: 5" IPS screen, SplitShot™ HD transducer. Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1513.40	1861.48

## Accessories






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16253-001	 EAGLE 5" Dash gasket kit	62.70	77.12
000-16249-001	 EAGLE 5" Sun cover	104.51	128.55

## Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001	 HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	538.15	661.93
000-15639-001	 HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1108.55	1363.52
000-16284-001	 EAGLE SplitShot™ 8 pin transducer. 6 m (20 ft cable)	459.95	565.74
000-16314-001	 EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16315-001	 EAGLE replacement twist locks	73.60	90.53
000-14170-001	" data-bbox="215 815 255 835"/> Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42

## Eagle-7








## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16230-001	 Eagle-7 No Transducer ROW: 7" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	1927.40	2370.70
000-16311-001	 Eagle-7 50/200 ROW: 7" IPS screen, 50/200 kHz HDI transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2249.40	2766.76
000-16308-001	 Eagle-7 83/200 ROW: 7" IPS screen, 83/200 kHz HDI transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2157.40	2653.60
000-16115-001	 Eagle-7 SplitShot HD ROW: 7" IPS screen, SplitShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2111.40	2597.02
000-16121-001	 Eagle-7 TripleShot™ ROW: 7" IPS screen, TripleShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2525.40	3106.24



## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16254-001	 EAGLE 7" Dash gasket kit	69.00	84.87
000-16250-001	 EAGLE 7" Sun cover	104.51	128.55

## Spare Parts




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001	 HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	538.15	661.93
000-15639-001	 HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1108.55	1363.52
000-16250-001	 EAGLE 7" Sun cover	104.51	128.55
000-16284-001	 EAGLE SplitShot™ 8 pin transducer. 6 m (20 ft cable)	459.95	565.74
000-16285-001	 EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	836.33	1028.68
000-16314-001	 EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16313-001	EAGLE 7, 9 corner clips	68.95	84.81
000-16315-001	 EAGLE replacement twist locks	73.60	90.53





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11019-001	 Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP/Eagle 7 *Not for use with Elite-7 Ti	207.64	255.40
000-14172-001	 Power Cable for Hook2, Hook Reveal & Cruise	101.15	124.42

## Eagle-9






## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16231-001	 Eagle-9 No Transducer ROW: 9" IPS screen, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	2755.40	3389.14
000-16124-001	 Eagle-9 HDI ROW: 9" IPS screen, 50/200 kHz HDI CHIRP transducer, Worldwide base map chart. (Option to upgrade to CMAP® DISCOVER™ charts).	2985.40	3672.04
000-16127-001	 Eagle-9 TripleShot™ ROW: 9" IPS screen, TripleShot™ HD transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	3215.40	3954.94

## Accessories



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16255-001	 EAGLE 9" Dash gasket kit	96.14	118.25
000-16251-001	 EAGLE 9" Sun cover	112.88	138.85

## Spare Parts




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15639-001	 HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1108.55	1363.52
000-16285-001	 EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	836.33	1028.68
000-16314-001	 EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16313-001	EAGLE 7, 9 corner clips	68.95	84.81
000-16315-001	 EAGLE replacement twist locks	73.60	90.53
000-14171-001	 Gimbal Bracket for Hook2/Hook Reveal 9"	229.95	282.84

## Eagle Eye-9





## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16130-001	 Eagle Eye™ 9 Live ROW: 9" IPS screen, Eagle Eye™ transducer, Worldwide basemap chart. (Option to upgrade to CMAP® DISCOVER™ charts)	4869.91	5989.99
000-16368-001	 Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays.	1835.40	2257.54
000-16369-001	Eagle Eye™ Transducer Trolling Motor Mount	133.40	164.08

## Accessories












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16368-001	 Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays.	1835.40	2257.54
000-16369-001	Eagle Eye™ Transducer Trolling Motor Mount	133.40	164.08
000-16255-001	 EAGLE 9" Dash gasket kit	96.14	118.25
000-16251-001	 EAGLE 9" Sun cover	112.88	138.85
000-16317-001	Transom mount bracket for Eagle TripleShot™ HD Transducer	105.80	130.13

## Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16368-001	 Lowrance Eagle Eye LIVE Transducer pack: Eagle Eye™ Transducer offers focused forward and down live sonar combined with CHIRP & DownScan in one transducer, exclusively available with Eagle Eye Fishfinders. The Eagle Eye live sonar transducer is also not compatible with other Lowrance Eagle series displays.	1835.40	2257.54
000-16369-001	Eagle Eye™ Transducer Trolling Motor Mount	133.40	164.08
000-16314-001	 EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16313-001	EAGLE 7, 9 corner clips	68.95	84.81
000-16315-001	 EAGLE replacement twist locks	73.60	90.53
000-14171-001	 Gimbal Bracket for Hook2/Hook Reveal 9"	229.95	282.84

## Accessories

## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16252-001	EAGLE 4" Dash gasket kit	105.80	130.13
000-16248-001	 EAGLE 4" Sun cover	104.51	128.55
000-16253-001	 EAGLE 5" Dash gasket kit	62.70	77.12
000-16249-001	 EAGLE 5" Sun cover	104.51	128.55
000-16254-001	 EAGLE 7" Dash gasket kit	69.00	84.87
000-16250-001	 EAGLE 7" Sun cover	104.51	128.55
000-16255-001	 EAGLE 9" Dash gasket kit	96.14	118.25
000-16251-001	 EAGLE 9" Sun cover	112.88	138.85
000-16367-001	Eagle 4X Bullet Skimmer transducer / power cable	367.95	452.58
000-16284-001	 EAGLE SplitShot™ 8 pin transducer. 6 m (20 ft cable)	459.95	565.74
000-16285-001	 EAGLE TripleShot™ HD 8-pin transducer. 6 m (20 ft cable)	836.33	1028.68
000-16317-001	Transom mount bracket for Eagle TripleShot™ HD Transducer	105.80	130.13
000-16314-001	 EAGLE 5, 7, 9 Power cable	105.75	130.08
000-16313-001	EAGLE 7, 9 corner clips	68.95	84.81
000-16315-001	 EAGLE replacement twist locks	73.60	90.53

## Accessories
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13
000-14411-001	 SPLITSHOT Inline temperature sensor: Hook2/Reveal	252.95	311.13

## Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16317-001	Transom mount bracket for Eagle TripleShot™ HD Transducer	105.80	130.13


## Accessories

## Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13
000-14413-001	 Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	252.95	311.13
000-14412-001	 Hook2 Transducer Y-Cable Allows an Active Imaging 2 in 1 or LSS-2 and HST-WSBL to be connected to a Hook2 TripleShot Display.	284.23	349.61
000-14027-001	 Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	317.40	390.40
000-14028-001	 SplitShot Skimmer Transducer	455.35	560.09
000-14029-001	 TripleShot Skimmer Transducer. With 6 m (19.7 ft) cable.	837.15	1029.70
000-14192-001	 Bullet/SplitShot Transom Bracket	64.35	79.16
000-14193-001	 TripleShot Transom Bracket	82.80	101.84
000-14410-001	 HOOK2-4X INLINE TEMP SENSOR	317.40	390.40
000-14070-001	 HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	151.80	186.71
000-14173-001	 HOOK2 4x Sun Cover	101.15	124.42
000-14170-001	" data-bbox="211 661 254 687"/> Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42
000-14068-001	 7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	151.75	186.66
000-14069-001	 xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in Details!	151.75	186.66
000-14172-001	 Power Cable for Hook2, Hook Reveal & Cruise	101.15	124.42
000-14191-001	" data-bbox="211 867 254 887"/> HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	64.35	79.16
000-14411-001	 SPLITSHOT Inline temperature sensor: Hook2/Reveal	252.95	311.13

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14174-001	 HOOK2 / HOOK Reveal 5" Sun Cover	101.15	124.42
000-14175-001	 HOOK2 7" Sun Cover	101.15	124.42
000-14176-001	 HOOK2 9" Sun Cover	110.35	135.74
000-14171-001	 Gimbal Bracket for Hook2/Hook Reveal 9"	229.95	282.84
000-14177-001	 HOOK2 12" Sun Cover	161.00	198.03

Accessories




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13

Spare Parts











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14192-001	 Bullet/SplitShot Transom Bracket	64.35	79.16
000-14193-001	 TripleShot Transom Bracket	82.80	101.84

Ice / All season




Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14183-001	 <p>HOOK2-4x All Season Pack (EU) The world's easiest fishfinder, HOOK2 4x Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x features wide-angle, Broadband sonar coverage. Just plug it in and fish, it's that easy.</p>	1241.95	1527.60
000-14184-001	 <p>HOOK2-4x GPS All Season Pack (EU) The world's easiest fishfinder, HOOK2 4x GPS Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x GPS features wide-angle, Broadband sonar coverage, plus a simple and accurate GPS Plotter. Just plug it in and fish, it's that easy.</p>	1379.95	1697.34
000-15544-001	 <p>HOOK REVEAL 5 ROW ICEMACHINE: Hook Reveal 5/ Ice Transducer / Ice Bag</p>	2126.03	2615.01








Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14088-001	 <p>HOOK2-4x Ice Transducer with power lead.</p>	685.40	843.04
000-14089-001	"9"/"12" Ice Transducer. 200kHz" data-bbox="208 408 263 433"/> <p>Hook Reveal and Hook2 5"/"9"/"12" Ice Transducer. 200kHz</p>	547.40	673.30
000-14414-001	 <p>8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as SplitShot, TripleShot, Cruise Skimmer</p>	252.95	311.13
000-14413-001	 <p>Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable</p>	252.95	311.13
000-14028-001	 <p>SplitShot Skimmer Transducer</p>	455.35	560.09
000-14192-001	 <p>Bullet/SplitShot Transom Bracket</p>	64.35	79.16
000-14070-001	 <p>HOOK2-4X to 7pin Blue Transducer Adapter &amp; Power Cable</p>	151.80	186.71
000-14173-001	 <p>HOOK2 4x Sun Cover</p>	101.15	124.42
000-14170-001	"5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket" data-bbox="218 748 253 773"/> <p>Lowrance Hook2-4"/"5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.</p>	101.15	124.42
000-14068-001	 <p>7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatibility in description!</p>	151.75	186.66
000-14069-001	 <p>xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatibility in Details!</p>	151.75	186.66
000-14172-001	 <p>Power Cable for Hook2, Hook Reveal &amp; Cruise</p>	101.15	124.42






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14411-001	 SPLITSHOT Inline temperature sensor: Hook2/Reveal	252.95	311.13
000-14174-001	 HOOK2 / HOOK Reveal 5" Sun Cover	101.15	124.42
000-14175-001	 HOOK2 7" Sun Cover	101.15	124.42

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14089-001	 Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz	547.40	673.30
000-11019-001	 Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP/Eagle 7 *Not for use with Elite-7 Ti	207.64	255.40
000-14027-001	 Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	317.40	390.40
000-14192-001	 Bullet/SplitShot Transom Bracket	64.35	79.16
000-14170-001	 Lowrance Hook2-4"/5", HOOK Reveal 5", Eagle-5", SIMRAD Cruise-5" quick release bracket.	101.15	124.42
000-14172-001	 Power Cable for Hook2, Hook Reveal & Cruise	101.15	124.42
000-14191-001	 HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	64.35	79.16




Premium Ice

Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15954-001	 <p>Explorer Ice Bag &amp; Transducer Pole</p> <p>Comes With:</p> <ul style="list-style-type: none"> <li>- Premium Explorer Bag and Shuttle Frame</li> <li>- Custom wiring harness and master power switch</li> <li>- Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout</li> </ul>	2069.95	2546.04
000-15953-001	 <p>Explorer Ice Bag</p> <p>Comes With:</p> <ul style="list-style-type: none"> <li>- Premium Explorer Bag and Shuttle Frame</li> <li>- Custom wiring harness and master power switch</li> </ul>	1379.95	1697.34
000-15955-001	 <p>Explorer Ice Pole</p> <p>Comes With:</p> <ul style="list-style-type: none"> <li>- Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout</li> </ul>	781.95	961.80

Portable ACCY.

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16145-001	Power Harness Cable for Explorer Series Pack with Elite FS 9	206.95	254.55
000-16146-001	0.3m (1 ft) Extension pole for Explorer Series Ice Pole (not Included), ideal for thicker ice areas and more depth	137.95	169.68
000-14088-001	 HOOK2-4x Ice Transducer with power lead.	685.40	843.04
000-14089-001	" data-bbox="208 248 260 275"/> Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 200kHz	547.40	673.30
000-14889-001	 Ice transducer with 9 Pin connector. 83/200 Medium/High frequencies.	547.40	673.30
000-15112-001	 PORTABLE PK 7" & UNDER HOOK2/ELITE TI EMEA	1780.20	2189.65

Accessories




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001	 PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1890.55	2325.38
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13

Spare Parts






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14963-001	 Replacement Ice Mount for LiveSight Transducer	1471.95	1810.50

## GHOST™




## Main Products











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	14088.96	17329.42
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	15275.34	18788.67
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	16141.73	19854.33











## Accessories










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14900-001	 ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone for GHOST™. Not compatible with RECON™	1953.15	2402.37
000-15301-002	MISC. HARDWARE,MOUNT KIT	86.96	106.96
000-15237-001	GHOST Propeller kit.	234.90	288.93
000-15274-001	GHOST nosecone. No Transducer	234.86	288.87
000-15582-001	 GHOST Trolling motor compass extension cable, 6 m (20')	200.06	246.07
000-15327-001	 Mini 9-pin to 9-pin Sonar adapter cable	217.46	267.47
000-15325-001	 Replacement trolling motor compass (TMC-1)	630.71	775.77
000-15468-001	 TMR-1: Remote controll for the Ghost trolling motor.	561.15	690.21
















## Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15806-001	GHOST 47" -TM SERVICE KIT - NO MOUNT	12571.46	15462.89
000-15240-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 47"/lower unit (pre-assembled)	6198.75	7624.46
000-15730-001	Indicator ring decal kit: 1x Indicator ring decal	10.40	12.79
000-15672-001	1x Column, inner shaft, 52"	239.15	294.16
000-15319-001	 Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS	59.75	73.50
000-15253-001	 Lowrance label 1x Head decal	69.56	85.55
000-15301-002	MISC. HARDWARE,MOUNT KIT	86.96	106.96
000-15250-001	 Indicator assembly 1x Indicator w/magnet, 1x Indicator ring	100.01	123.01








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15673-001	1x Column, inner shaft, 60"	271.35	333.77
000-15318-001	Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS	36.75	45.21
000-15237-001	GHOST Propeller kit.	234.90	288.93
000-15674-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52"/lower unit (pre-assembled)	6307.50	7758.23
000-15235-001	360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20	11.45	14.09
000-15675-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60"/lower unit (pre-assembled)	6520.65	8020.40
000-15252-001	 Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4	260.96	320.98
000-15314-001	 Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal	128.75	158.37
000-15251-001	 Housing hardware 14x Screw, torx, no. 6 x 3/4	43.46	53.45
000-15315-001	Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth	202.35	248.90
000-15395-001	Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1	300.11	369.13
000-15285-001	 Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS	65.21	80.20
000-15310-001	 GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	87.35	107.45
000-15239-001	1x Column, inner shaft, 47"	206.95	254.55
000-15388-001	Lower unit rear cap kit: 1x Rear cap 2x Shaft seal, greased 1x O-ring, 85x3 mm 1x Bearing-shim washer	443.66	545.70
000-15292-001	Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"	1087.46	1337.57
000-15254-001	 Case seal 1x Seal, case	65.21	80.20
000-15255-001	 GPS PCBA 1x PCB Test Assembly: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)	213.15	262.17
000-15387-001	Lower unit rotor assembly: 1x Rotor assembly	1304.96	1605.10
000-15676-001	Upper extrusion kit, GHOST GHOST 52"/GHOST 60": 1x Upper extrusion assembly, GHOST GHOST 52"/GHOST 60"	1426.76	1754.91
000-15312-001	 GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	87.35	107.45
000-15311-001	 GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m	91.95	113.10
000-15281-001	 Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut	52.16	64.15

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15247-001	Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm	10.83	13.32
000-15246-001	1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	1011.95	1244.70
000-15256-001	 PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx	765.56	941.63
000-15298-001	 Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip	95.66	117.66
000-15257-001	 Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx	52.16	64.15
000-15241-001	Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm	30.41	37.40
000-15242-001	Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit	299.00	367.77
000-15313-001	 GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	91.95	113.10
000-15289-001	Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"	956.96	1177.06
000-15243-001	Bearing cup: 1x Bearing cup	59.75	73.50
000-15668-001	1x Lower housing assy with outer column, GHOST 52", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	904.76	1112.85
000-15320-001	Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS	41.35	50.87
000-15258-001	 Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit.	143.51	176.51
000-15259-001	 12x Screw, M3 x 20, torx	43.46	53.45
000-15244-001	Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex	110.35	135.74
000-15669-001	1x Lower housing assy with outer column, GHOST 60", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	922.16	1134.25
000-15322-001	Pedal, upper: 1x Upper, pedal	156.35	192.32
000-15677-001	Pushrod kit, GHOST 52"/GHOST 60": 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52"/GHOST 60"	930.86	1144.95
000-15271-001	Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316	115.00	141.45
000-15321-001	Pivot pin: 1x Pivot pin, pedal	41.35	50.87
000-15293-001	 Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer	100.01	123.01
000-15260-001	 1x Motor belt	34.76	42.75
000-15261-001	 1x Indicator belt	30.41	37.40
000-15317-001	 Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)	183.95	226.26

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15291-001	Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS	65.21	80.20
000-15272-001	Shaft seal: 1x Seal, shaft	27.55	33.89
000-15277-001	Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm	105.75	130.08
000-15316-001	Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4", 1x D-clip, 1/4" shaft	64.35	79.16
000-15294-001	Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS	69.56	85.55
000-15262-001	 1x Indicator pulley assembly	82.65	101.66
000-15263-001	 1x Idler, gear, pulley, assembly	152.21	187.21
000-15278-001	Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap	183.95	226.26
000-15306-001	Label, battery: 1x Label status panel w/adhesive, pedal	41.35	50.87
000-15290-001	 Head adapter kit: 1x Head adapter with bushing	521.96	642.01
000-15309-001	Housing, lower, pedal kit, 47": 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit	248.35	305.48
000-15264-001	 Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx	121.76	149.76
000-15265-001	 Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt	1026.56	1262.66
000-15307-001	 Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper	91.95	113.10
000-15297-001	Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"	78.26	96.26
000-15678-001	Latch trigger, GHOST 52"/GHOST 60" 2x Latch trigger, GHOST 52"/GHOST 60"	94.99	116.84
000-15305-001	PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8	225.40	277.24
000-15830-001	 ROD,STABILIZER HARDWARE KIT	22.95	28.23
000-15266-001	 Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring	8.66	10.65
000-15303-001	 Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR	1195.95	1471.02
000-15296-001	Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch	69.56	85.55
000-15576-001	Magnobond Epoxy: 1x Magnobond Epoxy 63-1 50 ml	409.40	503.56
000-15267-001	Thermal pad, steering motor: 1x Motor thermal pad	30.41	37.40







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15269-001	Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad	39.11	48.10
000-15249-001	 1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1379.95	1697.34
000-15295-001	 Front latch block: 1x Front latch block	73.91	90.90
000-15581-001	 Lift assist crutch: 1x Lift assist crutch	43.46	53.45
000-15670-001	 1x Cable, head to pedal, GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1458.15	1793.53
000-15268-001	 Thermal pad, PCBA: 1x PCBA thermal pad	21.71	26.70
000-15270-001	 Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx	156.56	192.56
000-15288-001	 Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS	608.96	749.02
000-15671-001	 1x Cable, head to pedal, GHOST GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1701.95	2093.40
000-15248-001	 Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx	43.46	53.45
000-15679-001	 Lift assist kit, GHOST 52"/GHOST 60": 1x Gas spring, compression/traction, GHOST 52"/60", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS	643.76	791.82
000-15304-001	Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal	114.95	141.39
000-15323-001	Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex	165.55	203.63
000-15279-001	Stabilizer, rubber foot: 1x Foot, stabilizer	13.01	16.00
000-15284-001	 Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"	56.51	69.50
000-15680-001	 Wear bearing kit, GHOST 52"/GHOST 60": 2x Wear bearing, GHOST 52"/GHOST 60"	95.66	117.66
000-15308-001	 Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss	303.55	373.37
000-15286-001	 Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension	56.51	69.50
000-15324-001	 Miscellaneous hardware kit for GHOST Trolling motor foot pedal	91.95	113.10
000-15273-001	Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5"	13.75	16.92




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15287-001	 Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot	173.96	213.97
000-15299-001	Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2", 2x Washer, M10, 316SS, 2x Jam nut, M10	108.71	133.71
000-15300-001	Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"	1174.46	1444.58
000-15681-001	Lower extrusion kit, GHOST 52"/GHOST 60": 1x Lower extrusion, with bushing, , GHOST 52"/GHOST 60"	1465.91	1803.06
000-15283-001	 Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS	195.71	240.72
000-15682-001	 Side plate kit, GHOST 52"/GHOST 60": 1x Cover mount RH, GHOST 52"/GHOST 60" 1x Cover mount LH, GHOST 52"/GHOST 60" 6x Screw, SHCS M4 x 0.7 x14, SS	295.76	363.78
000-15282-001	 Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8	82.65	101.66
000-15476-001	Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing	65.21	80.20
000-15479-001	Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2	56.51	69.50
000-15478-001	Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts	104.36	128.36
000-15477-001	Lower extrusion bushing kit 4x 1/2" Shaft bushing	47.81	58.80
000-15829-001	 GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16", Pan, PH, SS	52.16	64.15
000-15828-001	 TIE DOWN STRAP KIT	60.86	74.85
000-15831-001	 GAS SPRING CLEVIS BRACKET KIT	60.86	74.85

## Accessories

## Main Products












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14900-001	 ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone for GHOST™. Not compatible with RECON™	1953.15	2402.37
000-15275-001	 HDI Nose cone transducer for GHOST™: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp and DownScan 455 kHz, 800 kHz. Not compatible with RECON™	695.96	856.03
000-15301-002	MISC. HARDWARE,MOUNT KIT	86.96	106.96
000-15237-001	GHOST Propeller kit.	234.90	288.93
000-15274-001	GHOST nosecone. No Transducer	234.86	288.87
000-15582-001	 GHOST Trolling motor compass extension cable, 6 m (20')	200.06	246.07
000-15327-001	 Mini 9-pin to 9-pin Sonar adapter cable	217.46	267.47
000-15325-001	 Replacement trolling motor compass (TMC-1)	630.71	775.77
000-15468-001	 TMR-1: Remote controll for the Ghost trolling motor.	561.15	690.21










## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15582-001	 GHOST Trolling motor compass extension cable, 6 m (20')	200.06	246.07


## Mount parts

## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15280-002	PULL CABLE KIT V2	152.21	187.21
000-15631-001	GHOST 47" MOUNT ASSEMBLY KIT	3479.96	4280.35
000-15809-001	GHOST 52/60" MOUNT ASSEMBLY KIT	3697.46	4547.87
000-15914-001	 GHOST MOUNT HARDWARE KIT	78.26	96.26
000-15285-001	 Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS	65.21	80.20
000-15292-001	Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"	1087.46	1337.57
000-15676-001	Upper extrusion kit, GHOST GHOST 52"/GHOST 60": 1x Upper extrusion assembly, GHOST GHOST 52"/GHOST 60"	1426.76	1754.91
000-15281-001	 Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut	52.16	64.15
000-15298-001	 Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip	95.66	117.66
000-15289-001	Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"	956.96	1177.06
000-15677-001	Pushrod kit, GHOST 52"/GHOST 60": 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52"/GHOST 60"	930.86	1144.95
000-15293-001	 Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer	100.01	123.01
000-15291-001	Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS	65.21	80.20
000-15294-001	Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS	69.56	85.55
000-15290-001	 Head adapter kit: 1x Head adapter with bushing	521.96	642.01
000-15297-001	Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"	78.26	96.26
000-15678-001	Latch trigger, GHOST 52"/GHOST 60" 2x Latch trigger, GHOST 52"/GHOST 60"	94.99	116.84
000-15296-001	Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch	69.56	85.55
000-15295-001	 Front latch block: 1x Front latch block	73.91	90.90
000-15581-001	 Lift assist crutch: 1x Lift assist crutch	43.46	53.45
000-15288-001	 Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS	608.96	749.02
000-15679-001	 Lift assist kit, GHOST 52"/GHOST 60": 1x Gas spring, compression/traction, GHOST 52"/60", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS	643.76	791.82
000-15284-001	 Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"	56.51	69.50
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15680-001	 Wear bearing kit, GHOST 52"/GHOST 60": 2x Wear bearing, GHOST 52"/GHOST 60"	95.66	117.66
000-15286-001	 Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension	56.51	69.50
000-15287-001	 Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot	173.96	213.97
000-15299-001	Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2", 2x Washer, M10, 316SS, 2x Jam nut, M10	108.71	133.71
000-15300-001	Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"	1174.46	1444.58
000-15681-001	Lower extrusion kit, GHOST 52"/GHOST 60": 1x Lower extrusion, with bushing, , GHOST 52"/GHOST 60"	1465.91	1803.06
000-15283-001	 Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS	195.71	240.72
000-15682-001	 Side plate kit, GHOST 52"/GHOST 60": 1x Cover mount RH, GHOST 52"/GHOST 60" 1x Cover mount LH, GHOST 52"/GHOST 60" 6x Screw, SHCS M4 x 0.7 x14, SS	295.76	363.78
000-15282-001	 Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8	82.65	101.66
000-15476-001	Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing	65.21	80.20
000-15479-001	Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2	56.51	69.50
000-15478-001	Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts	104.36	128.36
000-15477-001	Lower extrusion bushing kit 4x 1/2" Shaft bushing	47.81	58.80
000-15829-001	 GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16", Pan, PH, SS	52.16	64.15
000-15828-001	 TIE DOWN STRAP KIT	60.86	74.85
000-15831-001	 GAS SPRING CLEVIS BRACKET KIT	60.86	74.85






## Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15829-001	 GAS SPRING HARDWARE KIT Screw, 1/4-20 x 5/16", Pan, PH, SS	52.16	64.15

## Head parts

## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15730-001	Indicator ring decal kit: 1x Indicator ring decal	10.40	12.79
000-15810-001	GHOST 52" -TM SERVICE KIT - NO MOUNT	12614.96	15516.40
000-15811-001	GHOST 60" -TM SERVICE KIT - NO MOUNT	12875.96	15837.43
000-15806-001	GHOST 47" -TM SERVICE KIT - NO MOUNT	12571.46	15462.89
000-15253-001	 Lowrance label 1x Head decal	69.56	85.55
000-15250-001	 Indicator assembly 1x Indicator w/magnet, 1x Indicator ring	100.01	123.01
000-15252-001	 Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4	260.96	320.98
000-15251-001	 Housing hardware 14x Screw, torx, no. 6 x 3/4	43.46	53.45
000-15254-001	 Case seal 1x Seal, case	65.21	80.20
000-15255-001	 GPS PCBA 1x PCB Test Assembly: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)	213.15	262.17
000-15256-001	 PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx	765.56	941.63
000-15257-001	 Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx	52.16	64.15
000-15258-001	 Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit.	143.51	176.51
000-15259-001	 12x Screw, M3 x 20, torx	43.46	53.45
000-15260-001	 1x Motor belt	34.76	42.75
000-15261-001	 1x Indicator belt	30.41	37.40
000-15262-001	 1x Indicator pulley assembly	82.65	101.66
000-15263-001	 1x Idler, gear, pulley, assembly	152.21	187.21
000-15264-001	 Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx	121.76	149.76

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15265-001	 Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt	1026.56	1262.66
000-15266-001	 Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring	8.66	10.65
000-15267-001	Thermal pad, steering motor: 1x Motor thermal pad	30.41	37.40
000-15269-001	Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad	39.11	48.10
000-15268-001	 Thermal pad, PCBA: 1x PCBA thermal pad	21.71	26.70
000-15270-001	 Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx	156.56	192.56
000-15248-001	 Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx	43.46	53.45
000-15279-001	Stabilizer, rubber foot: 1x Foot, stabilizer	13.01	16.00












## Lower unit parts

## Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15240-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 47"/lower unit (pre-assembled)	6198.75	7624.46
000-15674-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52"/lower unit (pre-assembled)	6307.50	7758.23
000-15675-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60"/lower unit (pre-assembled)	6520.65	8020.40
000-15395-001	Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1	300.11	369.13
000-15388-001	Lower unit rear cap kit: 1x Rear cap 2x Shaft seal, greased 1x O-ring, 85x3 mm 1x Bearing-shim washer	443.66	545.70
000-15387-001	Lower unit rotor assembly: 1x Rotor assembly	1304.96	1605.10
000-15247-001	Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm	10.83	13.32
000-15241-001	Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm	30.41	37.40
000-15668-001	1x Lower housing assy with outer column, GHOST 52", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	904.76	1112.85
000-15669-001	1x Lower housing assy with outer column, GHOST 60", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	922.16	1134.25

## Pedal parts

## Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15319-001	 Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS	59.75	73.50
000-15318-001	Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS	36.75	45.21
000-15314-001	 Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal	128.75	158.37
000-15315-001	Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth	202.35	248.90
000-15310-001	 GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	87.35	107.45
000-15312-001	 GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	87.35	107.45
000-15311-001	 GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m	91.95	113.10
000-15313-001	 GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	91.95	113.10
000-15320-001	Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS	41.35	50.87
000-15322-001	Pedal, upper: 1x Upper, pedal	156.35	192.32
000-15321-001	Pivot pin: 1x Pivot pin, pedal	41.35	50.87
000-15317-001	 Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)	183.95	226.26
000-15316-001	Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4", 1x D-clip, 1/4" shaft	64.35	79.16
000-15306-001	Label, battery: 1x Label status panel w/adhesive, pedal	41.35	50.87
000-15309-001	Housing, lower, pedal kit, 47": 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit	248.35	305.48
000-15307-001	 Damper kit: 1x Damper, pedal, 1x Screw M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper	91.95	113.10
000-15305-001	PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8	225.40	277.24
000-15303-001	 Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR	1195.95	1471.02
000-15249-001	 1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1379.95	1697.34
000-15670-001	 1x Cable, head to pedal, GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1458.15	1793.53



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15671-001	 1x Cable, head to pedal, GHOST GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1701.95	2093.40
000-15304-001	Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal	114.95	141.39
000-15323-001	Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex	165.55	203.63
000-15308-001	 Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss	303.55	373.37
000-15324-001	 Miscellaneous hardware kit for GHOST Trolling motor foot pedal	91.95	113.10
000-15273-001	Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5"	13.75	16.92


## Shaft parts

## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15672-001	1x Column, inner shaft, 52"	239.15	294.16
000-15673-001	1x Column, inner shaft, 60"	271.35	333.77
000-15235-001	360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20	11.45	14.09
000-15239-001	1x Column, inner shaft, 47"	206.95	254.55
000-15245-001	OUTER SHAFT	147.15	181.00
000-15246-001	1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	1011.95	1244.70
000-15242-001	Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit	299.00	367.77
000-15243-001	Bearing cup: 1x Bearing cup	59.75	73.50
000-15244-001	Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex	110.35	135.74
000-15271-001	Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316	115.00	141.45
000-15272-001	Shaft seal: 1x Seal, shaft	27.55	33.89
000-15277-001	Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm	105.75	130.08
000-15278-001	Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap	183.95	226.26
000-15807-001	COLLAR CLAMP KIT V.1.1	165.55	203.63
000-15808-001	360 HEAD ASSEMBLY V.1.1	1057.95	1301.28
000-15830-001	 ROD,STABILIZER HARDWARE KIT	22.95	28.23
000-15576-001	Magnobond Epoxy: 1x Magnobond Epoxy 63-1 50 ml	409.40	503.56










## Tools

## Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15577-001	TROLLING MOTOR SERVICE FIXTURE	3123.40	3841.78
000-15579-001	 M32 Hollow tap for composite shaft replacement.	317.35	390.35
000-15578-001	5/8"-18 Slide hammer adapter	59.75	73.50
000-15580-001	10lb. weight for shaft bearing pre-load	225.40	277.24

## ActiveTarget™



### Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	8121.95	9990.00
000-15961-001	 ActiveTarget™2 Module Only - Replacement part	4345.65	5345.15
000-15962-001	 ActiveTarget™2 Transducer only with 7.62 m (25 ft) cable	5650.65	6950.30
000-16054-001	 ActiveTarget™2 Trolling Motor Shaft Mount	345.00	424.35
000-15960-001	 The ActiveTarget@ 2 Scout™ wide bracket	483.00	594.09
000-16069-001	Extension Cable for Active Target	459.95	565.74
000-15773-001	 ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	229.95	282.84
000-15770-001	 ActiveTarget trolling motor shaft mounting kit	271.40	333.82
000-15771-001	 ActiveTarget trolling motor mounting kit. Forward / down view	243.75	299.82
000-15772-001	 Replacement - ActiveTarget Trolling Motor Scout Mount Kit	243.75	299.82

### Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15960-001	 The ActiveTarget@ 2 Scout™ wide bracket	483.00	594.09
000-16069-001	Extension Cable for Active Target	459.95	565.74
000-15773-001	 ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	229.95	282.84











### Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15961-001	 ActiveTarget™2 Module Only - Replacement part	4345.65	5345.15
000-15962-001	 ActiveTarget™2 Transducer only with 7.62 m (25 ft) cable	5650.65	6950.30




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16054-001	 ActiveTarget™2 Trolling Motor Shaft Mount	345.00	424.35
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-15770-001	 ActiveTarget trolling motor shaft mounting kit	271.40	333.82
000-15771-001	 ActiveTarget trolling motor mounting kit. Forward / down view	243.75	299.82
000-15772-001	 Replacement - ActiveTarget Trolling Motor Scout Mount Kit	243.75	299.82
000-00128-001	 Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32

Active Imaging™


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14489-001	 ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	1665.15	2048.14
000-14814-001	 ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	1665.15	2048.14
000-14490-001	 ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	1412.15	1736.95
000-15813-001	 ActiveImaging 2-IN-1 Transducer with 83/200 in-hull puck (Depth only) and 9 Pin Y cable.	1665.15	2048.14
000-15812-001	 ActiveImaging™ 2-in-1 Transducer with 83/200 Skimmer Transducer and Y-Cable	1665.15	2048.14
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-16063-001	 ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	1697.40	2087.80
000-16095-001	 Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	285.20	350.80
000-16094-001	Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers	321.95	396.00

Accessories


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16095-001	 Stainless Steel Skimmer Flush Mount Bracket for Active Imaging HD Transducers	285.20	350.80
000-16094-001	Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers	321.95	396.00
000-12602-001	 Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	303.55	373.37
000-00099-006	 StructureScan™ – Kabel przedłużający przetwornika 3 m (10 stóp)	400.15	492.19

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16094-001	Stainless Steel Transom Mount Bracket for Active Imaging HD Transducers	321.95	396.00
000-12603-001		303.55	373.37

LiveSight™


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001	 PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1890.55	2325.38

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001	 PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1890.55	2325.38



















Spare Parts

















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14959-001	 Replacement Mounts for LiveSight Transducer.	367.95	452.58





















## StructureScan

## Main Products










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	4968.00	6110.64
000-16363-001	 StructureScan 3D Transducer ONLY WITH METAL BRACKET- The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2065.40	2540.44
000-12397-001	 StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	2980.80	3666.38
000-12396-001	 StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2024.00	2489.52
000-14254-001	 StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7093.20	8724.64
000-14255-001	 StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7093.20	8724.64
000-13559-001	 StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7093.20	8724.64
000-13560-001	 StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12162.40	14959.75
000-12752-001	 Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	547.40	673.30
000-12568-001	 TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	1665.20	2048.20
000-14259-001	 TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	3542.00	4356.66
000-14257-001	 TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	3542.00	4356.66
000-13522-001	 TotalScan and StructureScan 3D Plastic Replacement Bracket	298.95	367.71
000-10802-001	 StructureScan™ – Mocowany pawężowo przetwornik HD Skimmer	1425.95	1753.92
000-11459-001	 Sondujący przez kadłub przetwornik sonaru StructureScan™ HD ze stali nierdzewnej. (pojedynczy)	4457.40	5482.60
000-11460-001	 Sondujący przez kadłub przetwornik sonaru StructureScan™ HD ze stali nierdzewnej z kablem Y. (para)	8735.40	10744.54
000-12603-001	 Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	303.55	373.37
000-12602-001	 Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	303.55	373.37

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00099-006	 StructureScan™ – Kabel przedłużający przetwornika 3 m (10 stóp)	400.15	492.19
Accessories			
Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001	 Moduł SonarHub, z kablem zasilającym i kablem Ethernet 4,5m (15 stóp)	2980.80	3666.38
000-0106-72	 HST - WSBL – Pawężowo mocowany Skimmer 83/200 kHz, głębokość/temperatura z 7-szpilekowym niebieskim złączem	354.15	435.61
000-12396-001	 StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2024.00	2489.52
000-0106-77	 HST – DFSBL 50/200 kHz, mocowany pawężowo skimmer, głębokość/temperatura z 7-szpilekowym niebieskim złączem	712.95	876.93
000-14254-001	 StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7093.20	8724.64
000-14255-001	 StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7093.20	8724.64
000-0127-51	 Żółty kabel Ethernet, 5-szpilekowy, 1,8 m (6 stóp)	174.80	215.00
000-0106-73	 PD-WBL – Sondujący przez kadłub lub montowany z silnikiem trolingowym Skimmer 83/200 kHz, tylko głębokość, z niebieskim złączem 7-szpilekowym	418.55	514.82
000-0106-74	 PDT-WBL – Montowany z silnikiem trolingowym Skimmer® 83/200 kHz, z wbudowanym czujnikiem temp., z niebieskim złączem	455.35	560.09
000-0127-29	 Żółty kabel Ethernet, 5-szpilekowy, 4,5 m (15 stóp)	257.60	316.85
000-13559-001	 StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7093.20	8724.64
000-13560-001	 StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12162.40	14959.75
000-0127-30	 Żółty kabel Ethernet, 5-szpilekowy, 7,7 m (25 stóp)	363.40	446.98
000-0106-89	 PDRT-WBL 83/200 kHz, sondujący przez kadłub lub montowany z silnikiem trolingowym Skimmer®, ze zdalnym czujnikiem temperatury, z niebieskim złączem	575.00	707.25
000-0127-37	 Żółty kabel Ethernet, 5-szpilekowy, 15,2 m (50 stóp)	501.40	616.72

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-94	 PTI-WBL – Przetwornik lodowy z niebieskim złączem	455.35	560.09
000-12752-001	 Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	547.40	673.30
000-10046-001	 Adapter kablowy, z 7-szpilekowego niebieskiego na gołe przewody	133.40	164.08
000-11040-001	 Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	500.94	616.16
000-10976-001	 Przetwornik HDI Skimmer® 83/200/455/800 kHz, z wbudowanym czujnikiem temperatury Zawiera wspornik montażowy i osprzęt. Kabel długości 6m (20 stóp)	666.95	820.35
000-0099-93	 XT-12BL – Kabel przedłużający przetwornika z niebieskim złączem 7-szpilekowym, 12 stóp (3,6 m)	225.35	277.19
000-0099-94	 XT-20BL – Kabel przedłużający przetwornika z 7-szpilekowym złączem, 20 stóp (6 m)	225.35	277.19
000-13522-001	 TotalScan and StructureScan 3D Plastic Replacement Bracket	298.95	367.71
000-10977-001	 HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1310.95	1612.47
000-10802-001	 StructureScan™ – Mocowany pawężowo przetwornik HD Skimmer	1425.95	1753.92
000-11459-001	 Sondujący przez kadłub przetwornik sonaru StructureScan™ HD ze stali nierdzewnej. (pojedynczy)	4457.40	5482.60
000-11460-001	 Sondujący przez kadłub przetwornik sonaru StructureScan™ HD ze stali nierdzewnej z kablem Y. (para)	8735.40	10744.54
000-12603-001	 Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	303.55	373.37
000-12602-001	 Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	303.55	373.37
000-00099-006	 StructureScan™ – Kabel przedłużający przetwornika 3 m (10 stóp)	400.15	492.19
000-13581-001	 Fairing Block only for StructureScan 3D Through-Hull transducers.	501.35	616.67
000-10874-001	 LSS-HD – Wspornik mocowania przetwornika Skimmer	303.55	373.37

















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10978-001	 Adapter silnika trolingowego dla Skimmera HDI (* tylko dla przetwornika Skimmer HDI 83/200/455/800).	119.55	147.05

















## Spare Parts
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12396-001	 StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2024.00	2489.52
000-0127-29	 Żółty kabel Ethernet, 5-szpilekowy, 4,5 m (15 stóp)	257.60	316.85
000-14256-001	 Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	501.35	616.67
000-14260-001	 TotalScan™ Through-Hull Transducer Fairing Block Only	501.40	616.72
000-10802-001	 StructureScan™ – Mocowany pawężowo przetwornik HD Skimmer	1425.95	1753.92
000-12603-001	 Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	303.55	373.37
000-13581-001	 Fairing Block only for StructureScan 3D Through-Hull transducers.	501.35	616.67
000-10874-001	 LSS-HD – Wspornik mocowania przetwornika Skimmer	303.55	373.37
000-00128-001	 Kabel zasilający (wtyk 4-szpilekowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32


















XSONIC Transducers

Main Products
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7456.60	9171.62
000-12571-001	 Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	151.80	186.71
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	179.40	220.66
000-15880-001	 XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	777.40	956.20
000-13907-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.40	3219.40
000-13906-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.35	3219.35
000-13905-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.35	3219.35
000-13946-001	 B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1467.40	1804.90
000-16185-001	 B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1835.40	2257.54
000-13784-001	 SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-16184-001	 B60 (0°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6 ft) cable.	1835.40	2257.54
000-16186-001	 B60 (12°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1835.40	2257.54
000-13785-001	 SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-16188-001	 B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	1835.40	2257.54
000-13786-001	 SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44






Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16187-001		B60 (20°) - Bronze 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 1.8m (6ft) cable. Boatbuilder only.	1835.40	2257.54
000-16189-001		B75H (0°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4043.40	4973.38
000-13911-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-16190-001		B75H (12°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4043.40	4973.38
000-13912-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-16191-001		B75H (20°) - Bronze 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4043.40	4973.38
000-13913-001		SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4135.40	5086.54
000-16192-001		B75M (0°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4457.40	5482.60
000-13908-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-16193-001		B75M (12°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4457.40	5482.60
000-13909-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-16194-001		B75M (20°) - Bronze 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4457.40	5482.60
000-13910-001		SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4687.40	5765.50
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	685.40	843.04
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13920-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13918-001	 SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13917-001	 SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13916-001	 SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-16196-001	 B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-13780-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-16195-001	 B175H-W (0°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	8137.40	10009.00
000-16198-001	 B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-13781-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-16197-001	 B175H-W (12°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	8137.40	10009.00
000-16200-001	 B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-13782-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-16199-001	 B175H-W (20°) - Bronze 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	8137.40	10009.00
000-16202-001	 B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7079.40	8707.66
000-13777-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-16201-001	 B175M (0°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	7079.40	8707.66











Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16203-001		B175M (12°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7079.40	8707.66
000-13778-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-16205-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7079.40	8707.66
000-13779-001		SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-16204-001		B175M (20°) - Bronze 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 1.8m (6ft) cable.	7079.40	8707.66
000-16206-001		B175L (0°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7539.40	9273.46
000-13774-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-16207-001		B175L (12°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7539.40	9273.46
000-13775-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-16208-001		B175L (20°) - Bronze 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7539.40	9273.46
000-13776-001		SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	3905.40	4803.64
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	6435.40	7915.54
000-13914-001		M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	5515.40	6783.94
000-16370-001		Airmar B65LH CHIRP Transducer with DUAL 9-pin connectors. 10 m (33 ft) cable.	9195.40	11310.34
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	9885.40	12159.04
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10805.40	13290.64


































Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13772-001	 CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10345.40	12724.84
000-14561-001	 B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	8873.40	10914.28
000-13915-001	 P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	777.40	956.20
000-13773-001	 R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	24605.40	30264.64
000-13941-001	 CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	22397.40	27548.80
000-14804-001	 B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3077.40	3785.20
000-13919-001	 P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	805.00	990.15
000-13944-001	 TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	1605.40	1974.64
000-15482-001	 TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	3215.40	3954.94
000-13998-001	 TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	5975.40	7349.74
000-13997-001	 TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	5975.40	7349.74
000-16371-001	 Airmar TM265LH CHIRP Transducer with DUAL 9-pin blue connectors. 10 m (33 ft) cable.	8735.40	10744.54
000-13904-001	 TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	6205.40	7632.64
000-13770-001	 TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	10575.40	13007.74
000-13262-001	 Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	1927.40	2370.70

















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14884-001	 High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	423.15	520.48
000-14885-001	 9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	717.55	882.59
000-14886-001	 9-Pin 83/200kHz Pod-Style Shoot-Through Transducer. Depth only.	423.15	520.48
000-14887-001	 9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	423.15	520.48
000-14888-001	 9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	464.55	571.40

















Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	151.75	186.66
000-16295-001	 Transducer, Network cable pulling tools	114.95	141.39
000-12571-001	 Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	151.80	186.71
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	179.40	220.66
000-0106-73	 PD-WBL – Sondujący przez kadłub lub montowany z silnikiem trollingowym Skimmer 83/200 kHz, tylko głębokość, z niebieskim złączem 7-szpilkowym	418.55	514.82
000-15880-001	 XSONIC AIRMAR P19 20 DEGREE: single, tilted, 200/83 kHz, transducer. Fixed 20° tilted version for 16° to 24° hull deadrise	777.40	956.20
000-0106-74	 PDT-WBL – Montowany z silnikiem trollingowym Skimmer® 83/200 kHz, z wbudowanym czujnikiem temp., z niebieskim złączem	455.35	560.09
000-13907-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.40	3219.40
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with a 9-pin connector. Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	2065.40	2540.44
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2295.40	2823.34




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13906-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.35	3219.35
000-0106-89	 PDRT-WBL 83/200 kHz, sondujący przez kadłub lub montowany z silnikiem trolingowym Skimmer®, ze zdalnym czujnikiem temperatury, z niebieskim złączem	575.00	707.25
000-13905-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2617.35	3219.35
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2525.40	3106.24
000-13946-001	 B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1467.40	1804.90
000-0099-95	 TS-1BL – Czujnik temperatury (nie sieciowy)	391.00	480.93
000-13784-001	 SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-16063-001	 ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9-pin connector.  Compatibility: Direct connect to Lowrance HDS PRO or S3100 module. For Lowrance HDS Live, Carbon, Elite FS, and Simrad NSS evo3(S) / NSOevo3(S) displays, an S3100 sonar module is required.	1697.40	2087.80
000-13785-001	 SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-13786-001	 SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-00099-006	 StructureScan™ – Kabel przedłużający przetwornika 3 m (10 stóp)	400.15	492.19
000-13911-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-13912-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-13913-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4135.40	5086.54
000-13908-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13909-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-13910-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4687.40	5765.50
000-13942-001	 P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	685.40	843.04
000-13922-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13921-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13920-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2433.40	2993.08
000-13918-001	 SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13917-001	 SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13916-001	 SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13780-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13781-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8137.40	10009.00
000-13782-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13777-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-13778-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-13779-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6665.40	8198.44
000-13774-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13775-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13776-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8045.40	9895.84
000-13964-001	 B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	3905.40	4803.64
000-13783-001	 SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	6435.40	7915.54
000-13914-001	 M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	5515.40	6783.94
000-13771-001	 B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	9885.40	12159.04
000-13940-001	 PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10805.40	13290.64
000-13772-001	 CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10345.40	12724.84
000-14561-001	 B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	8873.40	10914.28
000-13915-001	 P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	777.40	956.20
000-13773-001	 R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	24605.40	30264.64
000-13941-001	 CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	22397.40	27548.80
000-14804-001	 B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3077.40	3785.20
000-13919-001	 P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 6 m (19.6 ft) cable.	805.00	990.15
000-13944-001	 TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	1605.40	1974.64
000-15482-001	 TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	3215.40	3954.94













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13998-001	 TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	5975.40	7349.74
000-13997-001	 TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	5975.40	7349.74
000-13904-001	 TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	6205.40	7632.64
000-13770-001	 TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	10575.40	13007.74
000-13262-001	 Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	1927.40	2370.70
000-14884-001	 High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	423.15	520.48
000-14885-001	 9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	717.55	882.59
000-14886-001	 9-Pin 83/200kHz Pod-Style Shoot-Through Transducer. Depth only.	423.15	520.48
000-14887-001	 9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	423.15	520.48
000-14888-001	 9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	464.55	571.40
000-0051-45	 TMB-S – Mocowany do silnika trolingowego wspornik standardowego przetwornika Skimmer®	91.95	113.10
000-0051-52	 Suction Cup Kit – Zestaw przyssawki dla przenośnych przetworników skimmer	91.95	113.10
000-10392-001	 Zestaw montażowy przetwornika Skimmer™ 50/200kHz	114.95	141.39
000-0106-98	 6 zestawów żywicy epoksydowej	50.55	62.18
000-0099-06	 HS-WS-SS Mtg Kit – Zestaw montażowy dla mocowania pawężowego przetworników 83/200 kHz skimmer	114.95	141.39
000-10606-001	 Mocowanie przetwornika w otworze splywnika kajaku	243.75	299.82

## Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15470-001	B744VC ACTIVE INSERT - REPLACEMENT	1421.40	1748.32
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-10392-001	 Zestaw montażowy przetwornika Skimmer™ 50/200kHz	114.95	141.39
000-00128-001	 Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32

## Niebieski








## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001	 Moduł SonarHub, z kablem zasilającym i kablem Ethernet 4,5m (15 stóp)	2980.80	3666.38
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	151.75	186.66
000-0106-72	 HST - WSBL – Pawężowo mocowany Skimmer 83/200 kHz, głębokość/temperatura z 7-szpilkowym niebieskim złączem	354.15	435.61
000-0106-77	 HST – DFSBL 50/200 kHz, mocowany pawężowo skimmer, głębokość/temperatura z 7-szpilkowym niebieskim złączem	712.95	876.93
000-0106-73	 PD-WBL – Sondujący przez kadłub lub montowany z silnikiem trolingowym Skimmer 83/200 kHz, tylko głębokość, z niebieskim złączem 7-szpilkowym	418.55	514.82
000-0106-74	 PDT-WBL – Montowany z silnikiem trolingowym Skimmer® 83/200 kHz, z wbudowanym czujnikiem temp., z niebieskim złączem	455.35	560.09
000-0106-89	 PDRT-WBL 83/200 kHz, sondujący przez kadłub lub montowany z silnikiem trolingowym Skimmer®, ze zdalnym czujnikiem temperatury, z niebieskim złączem	575.00	707.25
000-0106-94	 PTI-WBL – Przetwornik lodowy z niebieskim złączem	455.35	560.09
000-0099-95	 TS-1BL – Czujnik temperatury (nie sieciowy)	391.00	480.93
000-10046-001	 Adapter kablowy, z 7-szpilkowego niebieskiego na gołe przewody	133.40	164.08
000-0099-93	 XT-12BL – Kabel przedłużający przetwornika z niebieskim złączem 7-szpilkowym, 12 stóp (3,6 m)	225.35	277.19
000-0099-94	 XT-20BL – Kabel przedłużający przetwornika z 7-szpilkowym złączem, 20 stóp (6 m)	225.35	277.19




## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	151.75	186.66
000-16295-001	 Transducer, Network cable pulling tools	114.95	141.39





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12571-001	 Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	151.80	186.71
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	179.40	220.66
000-10046-001	 Adapter kablowy, z 7-szpilekowego niebieskiego na gołe przewody	133.40	164.08
000-0099-93	 XT-12BL – Kabel przedłużający przetwornika z niebieskim złączem 7-szpilekowym, 12 stóp (3,6 m)	225.35	277.19
000-0099-94	 XT-20BL – Kabel przedłużający przetwornika z 7-szpilekowym złączem, 20 stóp (6 m)	225.35	277.19
000-00099-006	 StructureScan™ – Kabel przedłużający przetwornika 3 m (10 stóp)	400.15	492.19
000-0106-98	 6 zestawów żywicy epoksydowej	50.55	62.18

## Spare Parts







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-29	 Żółty kabel Ethernet, 5-szpilekowy, 4,5 m (15 stóp)	257.60	316.85
000-10392-001	 Zestaw montażowy przetwornika Skimmer™ 50/200kHz	114.95	141.39
000-0099-06	HS-WS-SS Mtg Kit – Zestaw montażowy dla mocowania pawężowego przetworników 83/200 kHz skimmer	114.95	141.39
000-00128-001	 Kabel zasilający (wtyk 4-szpilekowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32





## HDI™

## Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001	 HDI Skimmer® transducer 83/200/455/800kHz for Hook2*, Hook Reveal, and Eagle 7,9. Built-in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8-pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	538.15	661.93
000-15639-001	 HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1108.55	1363.52
000-14267-001	 HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing with 2 m ( 6ft) transducer cable.	666.95	820.35
000-12570-001	 HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing. 4.5 m (15 ft) cable	657.80	809.09
000-12728-001	 HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	667.00	820.41
000-12569-001	 HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	1311.00	1612.53
000-13889-001	 HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8m (6ft). Blue Lowrance branded body.	666.95	820.35
000-10976-001	 Przetwornik HDI Skimmer® 83/200/455/800 kHz, z wbudowanym czujnikiem temperatury Zawiera wspornik montażowy i osprzęt. Kabel długości 6m (20 stóp)	666.95	820.35
000-10977-001	 HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1310.95	1612.47

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	151.75	186.66
000-16295-001	 Transducer, Network cable pulling tools	114.95	141.39
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	179.40	220.66
000-0099-95	 TS-1BL – Czujnik temperatury (nie sieciowy)	391.00	480.93
000-0099-93	 XT-12BL – Kabel przedłużający przetwornika z niebieskim złączem 7-szpilkowym, 12 stóp (3,6 m)	225.35	277.19
000-0099-94	 XT-20BL – Kabel przedłużający przetwornika z 7-szpilkowym złączem, 20 stóp (6 m)	225.35	277.19




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0051-52	 Suction Cup Kit – Zestaw przyssawki dla przenośnych przetworników skimmer	91.95	113.10
000-10606-001	 Mocowanie przetwornika w otworze splywnika kajaku	243.75	299.82
000-10978-001	 Adapter silnika trolingowego dla Skimmera HDI (* tylko dla przetwornika Skimmer HDI 83/200/455/800).	119.55	147.05
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	252.95	311.13

## Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10262-001	 Zamienne mocowanie dla Skimmera i górna obudowa.	170.15	209.29

## Uniplug

## Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-48	 HST-WSU – Przetwornik Skimmer 83/200kHz, z czujnikiem temperatury i kablem 6 m (20 stóp)	340.35	418.64
000-0106-69	 PDRT-WSU – Przetwornik gondolowy, 83/200kHz, ze zdalnym pomiarem temperatury i kablem 6 m (20 stóp)	391.50	481.55
000-0106-68	 PTI-WSU – Przetwornik lodowy 83/200 kHz z kablem 7 stóp	510.55	627.98

## Spare Parts




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0099-06	HS-WS-SS Mtg Kit – Zestaw montażowy dla mocowania pawężowego przetworników 83/200 kHz skimmer	114.95	141.39

## DSI™

## Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10260-001	 Przetwornik DSI Skimmer® o podwójnej częstotliwości 455/800kHz, z wbudowanym czujnikiem temperatury Zawiera 6 m (20 stóp) kabel, wspornik montażowy i osprzęt.	593.40	729.88

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0051-52	 Suction Cup Kit – Zestaw przyssawki dla przenośnych przetworników skimmer	91.95	113.10
000-0099-06	HS-WS-SS Mtg Kit – Zestaw montażowy dla mocowania pawężowego przetworników 83/200 kHz skimmer	114.95	141.39
000-10261-001	 Nisko profilowe mocowanie do silnika trolingowego do użycia z przetwornikiem DSI Skimmer. Zawiera mocowanie do silnika trolingowego z zatrzaskiem, zacisk silnika trolingowego ze stali nierdzewnej i 2 wiązania zaciskowe.	119.55	147.05
000-10606-001	 Mocowanie przetwornika w otworze splywnika kajaku	243.75	299.82




## Kable

## Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16295-001	 Transducer, Network cable pulling tools	114.95	141.39

Halo



Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9430.00	11598.90
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

Accessories








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10795-001	 SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	2755.40	3389.14
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	299.00	367.77
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	547.40	673.30
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	823.40	1012.78
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1099.40	1352.26

Spare Parts





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001	 Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	193.20	237.64
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	354.20	435.67

## Autopilot Kits




## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15952-001	 Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 MKII – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6067.40	7462.90
000-15951-001	 NAC-1 Precision Hydraulic Autopilot pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 (MKII) Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8597.40	10574.80
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-11749-001	 Zestaw zaburtowego pilota Lowrance ze sterowaniem linkami: Zawiera czujnik kierunku Point-1 i czujnik GPS, komputer pilota NAC-1, jednostkę napędową sterowania linkami HELM-1, przycisk Standby-Auto i komponenty sieci Micro-C.	7585.40	9330.04




## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1467.40	1804.90
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2203.40	2710.18
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	124.20	152.77

## Spare Parts


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12930-002	 Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	1283.40	1578.58
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11770-002	 PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	3031.40	3728.62








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	777.40	956.20
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	225.40	277.24
000-11769-001	 • Komputer autopilota NAC-1 – Umysł pozostaje w tyle za systemem pilota zaburtowego Lowrance. Zawiera on komputer sterowania i elektronikę dla napędu silnika i sprzęgła.	3353.40	4124.68









## Autopilot Accessories

## Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4319.40	5312.86
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	7585.40	9330.04
000-11770-002	 PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	3031.40	3728.62
000-15444-002	 PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	3307.40	4068.10
000-15445-002	 PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	4043.40	4973.38
000-15446-002	 PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	5883.40	7236.58
000-15447-002	 PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	5883.40	7236.58
000-10756-001	 RF25N – Urządzenie sprzężenia zwrotnego steru: z ciągiem transmisyjnym i 5 m (16,5 stopy) kablem NMEA200 MicroC.	1467.40	1804.90
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1320.20	1623.85
20188074	 LF3000 – Liniowe sprzężenie zwrotne: Do użycia z systemem zaburtowym jeżeli wymagany jest kąt steru. Wymaga również LFI3000MK2 wycenianego/zamawianego osobno, poniżej	1835.40	2257.54
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	777.40	956.20
20188082	 LFI3000MK2: Wymagane do użycia w zastosowaniach zaburtowych z LF3000, powyżej	652.74	802.87
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1467.40	1804.90
000-15944-001	 Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	230.00	282.90
000-15949-001	 ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	2617.40	3219.40
000-15950-001	 Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	3772.00	4639.56
000-15943-001	 Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	2525.40	3106.24




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15734-001	 SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	2111.40	2597.02
000-11771-001	 The HELM-1 is a complete autopilot drive unit for cable-steered vessels, and replaces your existing manual helm drive behind the dash. Designed for easy installation and retrofit, the HELM-1 features an integrated rudder feedback sensor and is plug-and-play compatible with NAC-1 and NAC-2 autopilot computers.	5561.40	6840.52
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2203.40	2710.18
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	225.40	277.24
000-11769-001	 • Komputer autopilota NAC-1 – Umysł pozostaje w tyle za systemem pilota zaburtowego Lowrance. Zawiera on komputer sterowania i elektronikę dla napędu silnika i sprzęgła.	3353.40	4124.68

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	777.40	956.20
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1467.40	1804.90
000-15944-001	 Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	230.00	282.90
000-15949-001	 ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	2617.40	3219.40
000-15950-001	 Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	3772.00	4639.56
000-15943-001	 Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	2525.40	3106.24
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2203.40	2710.18
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	124.20	152.77




## Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12359-001	 WR10 BT-1 Base Station Only	1237.40	1522.00
000-12358-001	 WR10 Wireless Remote for Autopilot.	961.40	1182.52













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15858-001	 <p>PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 &amp; 5. 2Pcs. Note: Not for Pump-1</p>	299.00	367.77
000-15734-001	 <p>SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.</p>	2111.40	2597.02
000-14464-001	NAC-1 & NAC-2 Power Cable - 2m	174.80	215.00
000-14798-001	 <p>NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)</p>	174.80	215.00
000-14463-001	NAC-2 Spare Drive Cable - 2m (6.5 ft)	174.80	215.00









## Stacjonarne radio VHF

## Main Products










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2157.40	2653.60
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1099.40	1352.26
000-15651-001	 SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	437.00	537.51

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA000355	 Antena VHF Navico 1710, 2,5 m (8 stóp) ultraglass, Quickfit®, 6dB	409.40	503.56
AA000358	 Antena VHF Navico 1770, 1 m (3 stopy) ultraglass, Quickfit®, 3dB	225.40	277.24
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	248.40	305.53
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	547.40	673.30
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	547.40	673.30
AA000352	 Antena VHF Navico 1720, 1,1 m (3 stopy) biczowa ze stali nierdzewnej, ze wspornikiem do masztu, 3dB	345.00	424.35
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	391.00	480.93
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	253.00	311.19
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	202.40	248.95
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	685.40	843.04




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14065-001	 Bracket mount knobs for Link-6 VHF radio (White)	71.02	87.36
000-14063-001	 VHF, MIC CLIP FOR LINK-6W	37.86	46.56
000-14061-001	 Mounting Bracket for Link 6 VHF (White)	142.09	174.77
000-14058-001	VHF, FLUSH MOUNT KIT, LINK-6W	52.07	64.05
000-14057-001	 LINK-6 Flush Mount Kit	55.15	67.84
000-14060-001	 LINK-6 Mounting Bracket	151.80	186.71
000-14064-001	 LINK-6 Mounting Bracket Knobs	73.60	90.53
000-14062-001	 LINK-6 Mic Clip	41.40	50.92
000-14054-001	 LINK-6 Suncover	101.15	124.42

## Spare Parts












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14911-001	 LINK-9 VHF Suncover	101.15	124.42
000-14920-001	 Lowrance Link-9 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	354.15	435.61
000-14918-001	 LINK-9 Fist Mic mounting clip	41.35	50.87
000-14916-001	 Link-9 VHF Mounting bracket with Knobs and Screws	128.75	158.37
000-14914-001	 Link-9 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	55.15	67.84
000-14060-001	 LINK-6 Mounting Bracket	151.80	186.71
000-14064-001	 LINK-6 Mounting Bracket Knobs	73.60	90.53
000-14062-001	 LINK-6 Mic Clip	41.40	50.92
000-10002-001	 Osłona przeciwsłoneczna dla Link-8	139.20	171.22

## AIS Klasa B



## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13609-001	 NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	3813.40	4690.48
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1237.40	1522.00

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1237.40	1522.00
AA000355	 Antena VHF Navico 1710, 2,5 m (8 stóp) ultraglass, Quickfit®, 6dB	409.40	503.56
AA000358	 Antena VHF Navico 1770, 1 m (3 stopy) ultraglass, Quickfit®, 3dB	225.40	277.24
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	248.40	305.53
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	547.40	673.30
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	547.40	673.30
AA000352	 Antena VHF Navico 1720, 1,1 m (3 stopy) biczowa ze stali nierdzewnej, ze wspornikiem do masztu, 3dB	345.00	424.35
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
AA000401	 Kabel masztowy VHF 30 m (98 stóp) dla anteny 1720	409.40	503.56
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	391.00	480.93
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90















## Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13611-001	 NAIS-500 class B AIS module only. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	3629.40	4464.16
000-13959-001	 NAIS500/400 & Naviop OP-BOX Power & Serial Cable	271.40	333.82




## NMEA2000

## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0124-69	 Zestaw startowy NMEA 2000® – Magistrala wymagana do instalacji jednego lub kilku urządzeń NMEA 2000®, zawiera kabel zasilający sieć, kabel N2K 0,6 m (2 stopy), kabel N2K 4,5 m (15 stóp), 2 × trójnik, 2 × terminatory sieciowe	414.00	509.22
000-10760-001	 Zestaw startowy NMEA 2000 Micro-C: Zawiera kabel zasilający sieć, kabel N2K 4,5 m (15 stóp), 3 x trójnik, 2 x terminatory sieci.	414.00	509.22
000-0119-79	 N2K-T-RD – Trójnik Micro-C dla podłączenia dodatkowego urządzenia sieciowego	101.20	124.48
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	331.20	407.38
000-0119-88	 N2KEXT-2RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	147.20	181.06
000-0127-53	 N2KEXT-6RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	230.00	282.90
000-0119-86	 N2KEXT-15RD – Kabel NMEA2000® 4,55 m (15 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	257.60	316.85
000-0119-83	 N2KEXT-25RD – Kabel NMEA2000® 7,6 m (25 stóp) tylko dla przedłużenia magistrali	363.40	446.98
000-14376-001	 NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	363.40	446.98
000-14377-001	 NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	455.40	560.14
000-14378-001	 NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	593.40	729.88
000-14379-001	 NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	731.40	899.62
000-0127-52	 TR-120-KIT – Zestaw składający się 1 męskiego i 1 żeńskiego terminatora NMEA 2000®	101.20	124.48
000-0119-75	 N2K-PWR-RD – Kabel zasilający NMEA 2000®. Zawiera kabel zasilający i 1× trójnik	278.36	342.38
000-12259-001	 Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	184.00	226.32
000-0127-04	 NAC-MRD2MBL – Adapter kablowy do umożliwienia podłączenia urządzenia z niebieską siecią NMEA2000® do sieci czerwonej lub czarnej	213.26	262.31
000-0127-05	 NAC-FRD2FBL – Adapter kablowy do umożliwienia podłączenia urządzenia z czarną lub czerwoną siecią NMEA2000® do sieci niebieskiej	213.26	262.31
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-45	 Zestaw adaptera SimNet do N2K – Łączy urządzenie SimNet stałym kablem SimNet do sieci NMEA 2000®; zawiera męski adapter SimNet do N2K, szeregowy łącznik Simnet, trójnik NMEA2000®.	545.15	670.54
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00

## Spare Parts









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00

## Czujniki


## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1283.40	1578.58
000-12930-002	 Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	1283.40	1578.58
000-15939-001	 NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable	841.80	1035.41
000-15940-001	 NMEA 2000® Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000® network.	768.20	944.89
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-15735-001	 DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	1789.40	2200.96
000-11517-001	 Czujnik przepływu paliwa, z kablem 10 stóp i trójnikiem	1099.40	1352.26
000-0120-62	 Kabel interfejsu silnika Evinrude, 4,5 m (15 stóp) i trójnikiem	547.40	673.30
000-0120-37	 Kabel interfejsu silnika Yamaha, z kablem 4,5 m (15 stóp) i trójnikiem	547.40	673.30
000-11518-001	 Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	501.40	616.72
000-11519-001	 Speed Through Water Sensor - Transom-mount paddle wheel sensor, ideal for slow trolling speeds where GPS is not as accurate. 3.1m (10ft) cable with Micro-C connector.	547.40	673.30
000-11520-001	 Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	547.40	673.30
000-11521-001	 Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	500.94	616.16
000-11522-001	 Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	547.40	673.30
000-11523-001	 Pressure Sensor - Configurable Pressure Sensor for various engine pressures. Max pressure 100PSI.	547.40	673.30

## Accessories







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	331.20	407.38
000-01119-88	 N2KEXT-2RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	147.20	181.06
000-0127-53	 N2KEXT-6RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	230.00	282.90
000-01119-86	 N2KEXT-15RD – Kabel NMEA2000® 4,55 m (15 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	257.60	316.85
000-11522-001	 Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	547.40	673.30
000-0127-45	 Zestaw adaptera SimNet do N2K – Łączy urządzenie SimNet stałym kablem SimNet do sieci NMEA 2000®; zawiera męski adapter SimNet do N2K, szeregowy łącznik Simnet, trójnik NMEA2000®.	545.15	670.54
000-11148-001	 Missing Image Pole Mount for GS25 / ZG100 / POINT-1	138.00	169.74
000-10568-001	 Missing Image Zespół wtyczki akcesoriów dla DST800	133.40	164.08

## Spare Parts






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10568-001	 Missing Image Zespół wtyczki akcesoriów dla DST800	133.40	164.08

## Ethernet



## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16144-001	Ethernet Cable -Yellow 5-Pin Male-Male - 0.6 m (2 ft)	114.95	141.39
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-0127-51	 Żółty kabel Ethernet, 5-szpilkowy, 1,8 m (6 stóp)	174.80	215.00
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilkowy, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilkowy, 15,2 m (50 stóp)	501.40	616.72
000-0127-56	 Adapter kablowy: żółty Ethernet 5-szpilkowy męski do żeńskiego RJ45, 2 m (6,5 stopy)	193.20	237.64

## Accessories


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16295-001	 Transducer, Network cable pulling tools	114.95	141.39
000-0127-51	 Żółty kabel Ethernet, 5-szpilkowy, 1,8 m (6 stóp)	174.80	215.00
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilkowy, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilkowy, 15,2 m (50 stóp)	501.40	616.72

## Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00128-001	 Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32
000-11447-001	 Spare WIFI-1 Power Cable.	142.14	174.83

## Cameras

## Main Products


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15876-001	 The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	2571.40	3162.82



## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001	 Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	193.20	237.64

REVEAL COASTAL™

Main Products


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y209-MS 	REVEAL: M-AF-Y209-MS South & East Africa	915.40	1125.94
M-AF-Y210-MS 	REVEAL: M-AF-Y210-MS West Africa	915.40	1125.94
M-EM-Y076-MS 	REVEAL: M-EM-Y076-MS South-West European Coasts	915.40	1125.94
M-EM-Y111-MS 	REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	915.40	1125.94
M-EN-Y070-MS 	REVEAL: M-EN-Y070-MS Central Europe Inland	915.40	1125.94
M-EN-Y299-MS 	C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	915.40	1125.94
M-EN-Y300-MS 	C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	915.40	1125.94
M-EN-Y326-MS 	C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	915.40	1125.94
M-EN-Y580-MS 	C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	915.40	1125.94
M-EW-Y065-MS 	REVEAL: M-EW-Y065-MS France Coastal & Inland	915.40	1125.94
M-EW-Y226-MS 	REVEAL: M-EW-Y226-MS United Kingdom	915.40	1125.94
M-EW-Y227-MS 	REVEAL: M-EW-Y227-MS North-West European Coasts	915.40	1125.94
M-EW-Y228-MS 	REVEAL: M-EW-Y228-MS West European Coasts	915.40	1125.94
M-ME-Y204-MS 	REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	915.40	1125.94
M-RS-Y013-MS 	REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	915.40	1125.94
M-RS-Y202-MS 	REVEAL: M-RS-Y202-MS Russian Federation – North West	915.40	1125.94
M-RS-Y203-MS 	REVEAL: M-RS-Y203-MS Russian Federation – North Central	915.40	1125.94

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)	
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	915.40	1125.94
M-RS-Y207-MS		REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	915.40	1125.94








### C-MAP Discover

Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y200-MS 	DISCOVER: M-AF-Y200-MS Cameroon to South Africa	593.40	729.88
M-AF-Y201-MS 	DISCOVER: M-AF-Y201-MS South Africa to Mozambique	593.40	729.88
M-AF-Y220-MS 	DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	593.40	729.88
M-EM-Y040-MS 	DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	593.40	729.88
M-EM-Y200-MS 	DISCOVER: M-EM-Y200-MS West Mediterranean	593.40	729.88
M-EM-Y201-MS 	DISCOVER: M-EM-Y201-MS Central Mediterranean	593.40	729.88
M-AF-Y214-MS 	DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	593.40	729.88
M-EM-Y202-MS 	DISCOVER: M-EM-Y202-MS Mediterranean South Central	593.40	729.88
M-EM-Y203-MS 	DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	593.40	729.88
M-EM-Y204-MS 	DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	593.40	729.88
M-EM-Y205-MS 	DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	593.40	729.88
M-EM-Y206-MS 	DISCOVER: M-EM-Y206-MS Mediterranean South East	593.40	729.88
M-EN-Y200-MS 	C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	593.40	729.88
M-EN-Y201-MS 	DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	593.40	729.88
M-EN-Y202-MS 	DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	593.40	729.88
M-EN-Y203-MS 	DISCOVER: M-EN-Y203-MS Farsund to Måløy	593.40	729.88
M-EN-Y204-MS 	DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	593.40	729.88

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EN-Y205-MS	 DISCOVER: M-EN-Y205-MS Karlskrona to Emden	593.40	729.88
M-EN-Y206-MS	 DISCOVER: M-EN-Y206-MS Torekov to Larvik	593.40	729.88
M-EN-Y207-MS	 DISCOVER: M-EN-Y207-MS Malmö to Valdemarsvik	593.40	729.88
M-EN-Y208-MS	 DISCOVER: M-EN-Y208-MS Västervik to Valdemarsvik	593.40	729.88
M-EN-Y209-MS	 DISCOVER: M-EN-Y209-MS Gulf of Bothnia	593.40	729.88
M-EN-Y210-MS	 DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	593.40	729.88
M-EN-Y211-MS	 DISCOVER: M-EN-Y211-MS Finland Lakes	593.40	729.88
M-EN-Y212-MS	 DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	593.40	729.88
M-EN-Y213-MS	 DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	593.40	729.88
M-EN-Y214-MS	 DISCOVER: M-EN-Y214-MS Polish Coast & Inland	593.40	729.88
M-EN-Y215-MS	 DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	593.40	729.88
M-EN-Y216-MS	 DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	593.40	729.88
M-EN-Y217-MS	 DISCOVER: M-EN-Y217-MS Central Europe Inland	593.40	729.88
M-EN-Y218-MS	 DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	593.40	729.88
M-EN-Y630-MS	 DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	593.40	729.88
M-EW-Y206-MS	 DISCOVER: M-EW-Y206-MS French Inland Waters	593.40	729.88
M-EW-Y207-MS	 DISCOVER: M-EW-Y207-MS Bay of Biscay	593.40	729.88
M-EW-Y208-MS	 DISCOVER: M-EW-Y208-MS Portugal & Galicia	593.40	729.88












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EW-Y209-MS	 DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	593.40	729.88
M-ME-Y200-MS	 DISCOVER: M-ME-Y200-MS Red Sea	593.40	729.88
M-ME-Y201-MS	 DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	593.40	729.88
M-RS-Y009-MS	 DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	593.40	729.88
M-RS-Y221-MS	 DISCOVER: M-RS-Y221-MS White Sea	593.40	729.88
M-EW-Y060-MS	 DISCOVER: M-EW-Y060-MS Central & West Europe	851.00	1046.73
M-RS-Y240-MS	 DISCOVER: M-RS-Y240-MS Tauyskaya Bay	381.80	469.61
M-AF-Y003-MS	 DISCOVER: M-AF-Y003-MS Antarctica	851.00	1046.73
M-AF-Y050-MS	 DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	851.00	1046.73
M-EM-Y045-MS	 DISCOVER: M-EM-Y045-MS Southern Europe	851.00	1046.73
M-EN-Y040-MS	 DISCOVER: M-EN-Y040-MS Greenland	851.00	1046.73
M-EN-Y050-MS	 DISCOVER: M-EN-Y050-MS Northern & Central Europe	851.00	1046.73
M-EN-Y055-MS	 DISCOVER: M-EN-Y055-MS Baltic Sea	851.00	1046.73
M-EW-Y200-MS	 DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	693.98	853.59











Naviop Kits

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14666-001	 Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	5012.80	6165.75
000-14665-001	 Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	8661.06	10653.11
000-14664-001	 Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	7760.84	9545.84
000-14663-001	 Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	12309.32	15140.47

















Accessories










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
31M-316-0	 Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-335-0	 Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-336-0	 Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4002.00	4922.46
31M-337-0	 Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
000-14844-001	 Naviop EGON+ 12VDC Replacement Relay	113.62	139.75
C-EGON-01	 Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-02	 Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-03	 Naviop EGON Power and CAN Cable - CAN ID 3	358.80	441.32
C-EGON-04	 Naviop EGON Power and CAN Cable - CAN ID 4	358.80	441.32
000-14901-001	 Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	225.40	277.24
000-15212-001	 Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	4733.40	5822.08

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BERMINI-USAA-1M 	Naviop OP-BOX USB Cable	296.01	364.09
C-28576 	Naviop CAN Drop Cable NA30	271.40	333.82
C-28574 	Naviop CAN Drop Cable for NOVA+ - 1.2m	257.60	316.85
C-34686 	Axial DB9 Male Cable for RS323/485 - 2m	140.30	172.57
C-DAU-CABLE 	Naviop Wiring Harness for DAU Units - 2m	483.00	594.09
DAU-B-128 	Naviop DAU Bridge - CAN ID 128	4830.00	5940.90
DAU-E-136 	Naviop DAU Easy - CAN ID 136	4830.00	5940.90
DAU-E-137 	Naviop DAU Easy - CAN ID 137	4830.00	5940.90
NA05-0003 	Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4278.00	5261.94
NA05-0003-H 	Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4370.00	5375.10

Naviop Parts



Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15756-001	 Naviop OP-BOX Programmable 1GHz	5865.00	7213.95
000-15897-001	 OP-BOX 1Ghz, Programmable, with Power cable	4549.40	5595.76
000-14991-001	 Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	1283.40	1578.58
31M-316-0	 Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-335-0	 Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-336-0	 Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4002.00	4922.46
31M-337-0	 Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
000-14844-001	 Naviop EGON+ 12VDC Replacement Relay	113.62	139.75
C-EGON-01	 Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-02	 Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-03	 Naviop EGON Power and CAN Cable - CAN ID 3	358.80	441.32
C-EGON-04	 Naviop EGON Power and CAN Cable - CAN ID 4	358.80	441.32
000-14901-001	 Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	225.40	277.24
000-15212-001	 Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	4733.40	5822.08
BERMINI-USAA-1M	 Naviop OP-BOX USB Cable	296.01	364.09
C-28576	 Naviop CAN Drop Cable NA30	271.40	333.82














Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
C-28574	 Naviop CAN Drop Cable for NOVA+ - 1.2m	257.60	316.85
C-34686	 Axial DB9 Male Cable for RS323/485 - 2m	140.30	172.57
C-DAU-CABLE	 Naviop Wiring Harness for DAU Units - 2m	483.00	594.09
DAU-B-128	 Naviop DAU Bridge - CAN ID 128	4830.00	5940.90
DAU-E-136	 Naviop DAU Easy - CAN ID 136	4830.00	5940.90
DAU-E-137	 Naviop DAU Easy - CAN ID 137	4830.00	5940.90
NA05-0003	 Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4278.00	5261.94
NA05-0003-H	 Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4370.00	5375.10
000-13959-001	 NAIS500/400 & Naviop OP-BOX Power & Serial Cable	271.40	333.82

## Service Parts






## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14256-001	 Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	501.35	616.67
000-14260-001	 TotalScan™ Through-Hull Transducer Fairing Block Only	501.40	616.72
000-14503-001	LINKPRO SERVICE TOOL	1007.40	1239.10
151-10333-001	ZAMIENNIK SERWISOWY SONARHUB	1591.60	1957.67

## Accessories




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-72	 HST - WSBL – Pawężowo mocowany Skimmer 83/200 kHz, głębokość/temperatura z 7-szypkowym niebieskim złączem	354.15	435.61
000-0106-77	 HST – DFSBL 50/200 kHz, mocowany pawężowo skimmer, głębokość/temperatura z 7-szypkowym niebieskim złączem	712.95	876.93
000-0106-94	 PTI-WBL – Przetwornik lodowy z niebieskim złączem	455.35	560.09
000-0099-95	 TS-1BL – Czujnik temperatury (nie sieciowy)	391.00	480.93
000-10046-001	 Adapter kablowy, z 7-szypkowego niebieskiego na gołe przewody	133.40	164.08
000-0099-93	 XT-12BL – Kabel przedłużający przetwornika z niebieskim złączem 7-szypkowym, 12 stóp (3,6 m)	225.35	277.19
000-10976-001	 Przetwornik HDI Skimmer® 83/200/455/800 kHz, z wbudowanym czujnikiem temperatury Zawiera wspornik montażowy i osprzęt. Kabel długości 6m (20 stóp)	666.95	820.35
000-0099-94	 XT-20BL – Kabel przedłużający przetwornika z 7-szypkowym złączem, 20 stóp (6 m)	225.35	277.19
000-10977-001	 HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1310.95	1612.47
000-0051-45	 TMB-S – Mocowany do silnika trolingowego wspornik standardowego przetwornika Skimmer®	91.95	113.10
000-0099-44	 AC-CAF – Adapter zasilający AC z wyjściem żeńskiego gniazda zapalniczki samochodowej do zasilania z gniazda sieciowego 120 V	213.54	262.66
000-0119-10	 CA-8 – Kabel zasilający z wyczką do gniazda zapalniczki dla wszystkich produktów 5-calowych i większych firmy Lowrance, z wyjątkiem X-96	298.95	367.71
000-10027-001	 Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	130.36	160.34



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10909-001	 RAM QUICK RELEASE BRACKET 1" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	182.41	224.37
000-10910-001	 RAM QUICK RELEASE BRACKET 1.5" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	260.59	320.53
000-10978-001	 Adapter silnika trólingowego dla Skimmera HDI (* tylko dla przetwornika Skimmer HDI 83/200/455/800).	119.55	147.05
000-11307-001	 SUNCOVER: 4" MARK/ELITE/HOOK	110.35	135.74
000-11308-001	 FLUSH MOUNT KIT: 4" MARK/ELITE/HOOK	86.99	107.00




## Wyświetlacze

## Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12742-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	317.40	390.40
000-12741-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	529.00	650.67
000-16444-001	Protective suncover for Elite FS 12	147.20	181.06
000-16443-001	Protective suncover for Elite FS 10	147.20	181.06
000-16446-001	Elite™ FS 12 Flushmount kit	94.71	116.50
000-16445-001	Elite™ FS 10 Flushmount kit	94.71	116.50
000-0124-70	 CAP-1 – Zestaw kołpaków złącz dla serii HDS	101.15	124.42










## Sonar

## Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15470-001	B744VC ACTIVE INSERT - REPLACEMENT	1421.40	1748.32
000-11040-001	 Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	500.94	616.16
000-14963-001	 Replacement Ice Mount for LiveSight Transducer	1471.95	1810.50
000-0127-54	 Kabel zasilający dla BSM-1, LSS-2 2 m (6,5 stopy)	220.80	271.58

## Radar

## Main Products
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10795-001	 SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	2755.40	3389.14
000-10904-001	 Kabel radaru szerokopasmowego, przedłużenie zewnętrzne, 2 m	303.60	373.43
000-10905-001	 Kabel radaru szerokopasmowego, zewnętrzny 5 m	354.20	435.67
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	299.00	367.77
000-14552-001	 Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	193.20	237.64
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	547.40	673.30
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	823.40	1012.78
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1099.40	1352.26
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	354.20	435.67

## Accessories






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16295-001	 Transducer, Network cable pulling tools	114.95	141.39

## VHF AIS

## Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11727-001	 RS90/V90 – 20m (65 stóp) kabel mikrotelefonu. Zawiera złącze phoenix i mocowanie grodziowe	411.73	506.43
AA000355	 Antena VHF Navico 1710, 2,5 m (8 stóp) ultraglass, Quickfit®, 6dB	409.40	503.56
AA000358	 Antena VHF Navico 1770, 1 m (3 stopy) ultraglass, Quickfit®, 3dB	225.40	277.24
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	248.40	305.53
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	547.40	673.30
AA000352	 Antena VHF Navico 1720, 1,1 m (3 stopy) biczowa ze stali nierdzewnej, ze wspornikiem do masztu, 3dB	345.00	424.35
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
AA000401	 Kabel masztowy VHF 30 m (98 stóp) dla anteny 1720	409.40	503.56
000-10378-001	 VKIT-9 – Zestaw montażu powierzchniowego dla RS10, RS12 i RS25	48.67	59.86
000-11564-001	 BC-10 VHF Charger w/ US Power Adapter for HH36 and LINK-2 VHF.	260.59	320.53
000-11562-001	 BC-10 VHF Charger w/ 12V CIG Plug for HH36 and LINK-2 VHF.	182.41	224.37
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	391.00	480.93
000-14263-001	 RS20/V20 Mounting Bracket Knobs	73.60	90.53
000-13716-001	 Bracket Kit - Water Level or Antenna Mount	28.43	34.97
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60	404.80	497.90

## Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	248.40	305.53
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	547.40	673.30
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	547.40	673.30
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
AA000401	 Kabel masztowy VHF 30 m (98 stóp) dla anteny 1720	409.40	503.56

Autopilot

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12359-001	 WR10 BT-1 Base Station Only	1237.40	1522.00
000-12358-001	 WR10 Wireless Remote for Autopilot.	961.40	1182.52